

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	293	(detect\$3 sens\$3) near4 (error condition) same ups	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 15:48
L2	156	determin\$3 near5 (connect\$3 power\$3) with ups	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 15:45
L3	6	(adjust\$3 chang\$3) near5 (power voltage) near5 ups with (microcode value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 15:43
L4	18	2.cdm.	US-PGPUB	OR	OFF	2006/07/27 15:45
L5	1	1 same (microcode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 15:51
L6	2278	713/300.cds.	US-PGPUB; USPAT	OR	OFF	2006/07/27 15:51
L7	224	714/14.cds.	US-PGPUB; USPAT	OR	OFF	2006/07/27 15:51
L8	61	6 and (microcode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 15:51
L9	10	7 and (microcode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 15:51
L10	6777	(adjust\$3 chang\$3) near5 (power voltage) with (code microcode value) same (ups "power supply")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 15:55
L11	54	(6 7) and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 16:03
L12	295	10.cdm.	US-PGPUB	OR	OFF	2006/07/27 15:53
L13	12	1 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 15:55

EAST Search History

L14	50	11 and g06f\$.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 16:06
-----	----	--------------------	---	----	-----	------------------